

# Air Curtains



Commercial Duty  
Centrifugal Fans  
3-Speed Motors  
Remote Control

Solutions for  
controlling your  
environment

# Air Curtains



Open doorways allow temperature loss and access for insects, dust and fumes.

Coldshield Air Curtains provide the solution!



Block out airborne nuisances

The Coldshield Air Curtain creates an invisible curtain of high velocity air over your doorways, forming an effective barrier without inhibiting access for your staff or customers.

With 3-speed fans, airflow can be selected to provide maximum reduction of insects, dust and odours from entering your clean zone.



Coldshield Air Curtains used in production line cooling

*"We installed Coldshield Air Curtains to control insects and air conditioning and found the added bonus of odours from our fishery not entering the restaurant area."*

Satisfied Customer

Prewired for remote door switching = fans start when door is opened.

Powder coated aluminium casing for easy cleaning and corrosion resistant.

Full size mounting plate provides easy, secure installation onto any surface.




Remote control and soft touch buttons.



3 speed fans.

Industrial duty centrifugal fans give high air flows with low noise levels.



Improve work area comfort


Coldshield Air Curtains greatly reduce your energy costs by reducing the transfer of air through door openings.

Adjustable outlet vanes provide precise angle control of the air flow

By providing a welcoming flow of air over your entrances you can create a greater impression of a clean controlled environment for your staff and customers. Coldshield Air Curtains work to circulate clean air within your work zone and the whisper quiet operation ensures minimal noise and impact in your environment.

Select your optimum size combination from the chart below

### Air Velocity (high speed setting)



### Specifications



Part Number	Weight	Watts	Air Flow (Metres / Sec)			Noise Decibel	Net Dimension Length x Width x Height (mm)
			High	Medium	Low		
ACF09	15kg	340w	17	13.5	9	53-58	900 x 230 x 235
ACF12	18kg	440w	17	13.5	9	53-58	1200 x 230 x 235
ACF15	24kg	560w	17	13.5	9	55-60	1500 x 230 x 235
ACF18	26kg	660w	17	13.5	9	63-68	1800 x 230 x 235



18 Spalding Street, Toowoomba Qld 4350 (PO Box 49 Drayton North Qld 4350) ABN 43 094 685 292

PHONE 07 4687 4500 FAX 07 4687 6300 EMAIL info@coldshield.com.au [www.coldshield.com.au](http://www.coldshield.com.au)